

***Petrolisthes japonicus* (De Haan, 1849)**

Type locality. - Japan.

Occurrence. - Hong Kong (Haig, 1992); South China (Wang, 1994).

Key references. - Miyake (1943; 1982).

General distribution. - Japan, China, Borneo, Malacca and Mergui Archipelago; littoral.

***Petrolisthes kranjiensis* Johnson, 1970**

Type locality. - Tanjong Kranji, Singapore.

Occurrence. - Singapore (Johnson, 1970).

Key reference. - Johnson (1970).

General distribution. - Singapore; littoral.

***Petrolisthes lamarckii* (Leach, 1820)**

Type locality. - Not indicated.

Occurrence. - Hong Kong (Gordon, 1931; Haig, 1992); Singapore (Johnson, 1970); Paracel Islands (Yang, 1983); Guangxi Province (Wang, 1994); southwestern Taiwan (Hsieh et al., 1998).

Key reference. - Kropp (1983).

General distribution. - Widely distributed in Indo-West Pacific; littoral.

***Petrolisthes militaris* (Heller, 1862)**

Type locality. - Nicobar Islands.

Occurrence. - Hong Kong (Haig, 1992); Nansha Islands and Paracel Islands (Yang & Zu, 1994).

Key reference. - Miyake (1943).

General distribution. - Widely distributed in the Indo-West Pacific; littoral to 110 m.

***Petrolisthes moluccenensis* (De Man, 1888)**

Type locality. - Amboina.

Occurrence. - Nansha Islands (Yang, 1996); southwestern Taiwan (Hsieh et al., 1998).

Key references. - Miyake (1942); Yang (1996).

General distribution. - Widely distributed in the Indo-West Pacific; littoral.

***Petrolisthes nanshensis* Yang, 1996**

Type locality. - Zhubi Reef (10°50'N, 114°10'E), Nansha Islands.

Occurrence. - Type locality (Yang, 1996).

Key reference. - Yang (1996).

General distribution. - Known only from the type locality.

***Petrolisthes pubescens* Stimpson, 1858**

Type locality. - Fu-kow, Amami Oshima, Japan.

Occurrence. - Southwestern Taiwan (Hsieh et al., 1998).

Key reference. - Kropp (1986).

General distribution. - Widely distributed in the Indo-Pacific; littoral.

***Petrolisthes scabriculus* (Dana, 1852)**

Type locality. - Sulu Sea, Philippines.

Occurrence. - Nansha Islands (Yang & Zu, 1994); southwestern Taiwan (Hsieh et al., 1998).

Key reference. - Nakasone & Miyake (1968b).

General distribution. - Philippines, Indonesia and Australia; littoral.

***Petrolisthes tomentosus* (Dana, 1852)**

Type locality. - Tahiti (according to the neotype designation by Kropp (1986)).

Occurrence. - Nansha Islands, Paracel Islands (Yang & Zu, 1994); southwestern Taiwan (Hsieh et al., 1998).

Key reference. - Kropp (1986).

General distribution. - Widely distributed in Indo-West Pacific; littoral.

Genus *Pisidia* Leach, 1820

***Pisidia dispar* (Stimpson, 1858)**

Type locality. - Port Jackson, Sydney, Australia.

Occurrence. - Hong Kong (Haig, 1992; Wang, 1994); southwestern Taiwan (Hsieh et al., 1998).

Key reference. - Nakasone & Miyake (1968a).

General distribution. - Australia, southern China, Taiwan and Japan; littoral.

Remarks. - Haig (1992) questionably placed *Enosteoides variabilis* Yang & Sun, 1985, in the synonymy of *Pisidia dispar*.

***Pisidia gordonii* (Johnson, 1970)**

Type locality. - Nanas Channel north of Pulau Ubin, Singapore.

Occurrence. - Singapore; Hong Kong (Haig, 1973; Wang, 1994); Gulf of Thailand (Haig, 1992).

Key reference. - Johnson (1970).

General distribution. - From east coast of Africa to the East Indian Archipelago, southeast Asian coast as far north as Hong Kong, Australia; intertidal to 72 m.

***Pisidia serratifrons* (Stimpson, 1858)**

Type locality. - Hong Kong.

Occurrence. - Hong Kong (Stimpson, 1858; Haig, 1992); South China Sea at 28°38'N, 122°25'E (Haig, 1992); Guangxi Province, China (Yang & Sun, 1992).

Key reference. - Miyake (1943; as *Porcellana serratifrons*).

General distribution. - China, Korea and Japan; shallow water.

Genus *Polyonyx* Stimpson, 1858

***Polyonyx biunguiculatus* (Dana, 1852)**

Type locality. - Not indicated.

Occurrence. - Hong Kong; Gulf of Thailand; Singapore (Haig, 1992).

Key references. - Miyake (1942); Johnson (1958).

General distribution. - Widely distributed in the Indo-West Pacific; shallow water.

***Polyonyx obesulus* Miers, 1884**

Type locality. - Madjicosima Isle (=Sakishima Islands, Ryukyu Islands).

Occurrence. - Singapore (Johnson, 1958); Hong Kong; Gulf of Thailand (Haig, 1992); Nansha Islands (Yang & Zu, 1994).

Key reference. - Johnson (1958).

General distribution. - Widely distributed in the Indo-West Pacific; littoral, free living.

***Polyonyx parabiunguiculatus* Yang, 1996**

Type locality. - Banyue reef (8°50'N, 116°20'E).

Occurrence. - Type locality (Yang, 1996).

Key reference. - Yang (1996).

General distribution. - Known only from the type locality.

***Polyonyx plumatus* Yang & Zu, 1994**

Type locality. - Nansha Islands.

Occurrence. - Type locality (Yang & Zu, 1994).

Key reference. - Yang & Zu (1994).

General distribution. - Known only from the type locality.

***Polyonyx sinensis* Stimpson, 1858**

Type locality. - "In mari Sinensi, lat. bor. 23°".

Occurrence. - Type locality (Stimpson, 1858).

Key reference. - Johnson (1958).

General distribution. - China.

***Polyonyx triunguiculatus* Zehntner, 1894**

Type locality. - Amboina.

Occurrence. - Singapore (Johnson, 1958); Nansha Islands (Yang, 1996).

Key reference. - Johnson (1958).

General distribution. - Indian Ocean including the Red Sea and western Pacific from Sumatra, Singapore and Indonesia; at depths of 7-67 m.

Genus *Porcellana* Lamarck, 1801

***Porcellana habei* Miyake, 1961**

Type locality. - Amakusa, Kyushu, Japan.

Occurrence. - Nansha Islands (Yang & Zu, 1994).

Key reference. - Miyake (1961).

General distribution. - Japan, China, Nansha Islands and Australia; shallow water.

***Porcellana pulchra* Stimpson, 1858**

Type locality. - Hong Kong.

Occurrence. - Hong Kong (Stimpson, 1858); South China (Wang, 1994).

Key reference. - Miyake (1943).

General distribution. - Hong Kong, Yellow Sea, Korean Strait, northern China and Japan; shallow water.

Genus *Porcellanella* White, 1852

***Porcellanella triloba* White, 1852**

Type locality. - North Australia.

Occurrence. - Hong Kong; Singapore (Johnson, 1970); Viet Nam; Gulf of Thailand (Haig, 1981; 1992); Nansha Islands (Yang & Zu, 1994).

Key reference. - Sankarankutty (1961b).

General distribution. - Widely distributed in the Indo-West Pacific; at depths of 30-70 m.

Genus *Pseudoporcellanella* Sankarankutty, 1961

***Pseudoporcellanella manoliensis* Sankarankutty, 1961a**

Type locality. - Gulf of Manaar, southern India.

Occurrence. - Singapore; Gulf of Thailand (Ng & Nakasone, 1994).

Key reference. - Ng & Nakasone (1994).

General distribution. - Gulf of Manaar, Singapore, Thailand, Malay Peninsula and Sunda Shelf; shallow water.

Genus *Raphidopus* Stimpson, 1858

***Raphidopus ciliatus* Stimpson, 1858**

Type locality. - "... in a bay on the coast of China opposite Hong Kong" (Stimpson, 1907).

Occurrence. - Hong Kong (Stimpson, 1907); Guangxi Province, China (Yang & Sun, 1992); Singapore (Ng & Nakasone, 1994).

Key reference. - Ng & Nakasone (1994).

General distribution. - Southern China, Singapore, Australia and Japan; shallow water.

***Raphidopus johnsoni* Ng & Nakasone, 1994**

Type locality. - Lim Kang road end, Singapore.

Occurrence. - Type locality (Ng & Nakasone, 1994).

Key reference. - Ng & Nakasone (1994).

General distribution. - Known only from the type locality; mangrove swamps.

Superfamily HIPPOIDEA

Family ALBUNEIDAE

Genus *Albunea* Fabricius, 1793

***Albunea symnista* (Linnaeus, 1767)**

Type locality. - Asia.

Occurrence. - South China (Wang, 1994).

Key references. - Serène & Umali (1965); Miyake (1978).

General distribution. - Widely distributed in the Indo-West Pacific; 10-26 m.

Genus *Paralbunea* Serène, 1979

***Paralbunea dayriti* Serène & Umali, 1965**

Type locality. - Philippines.

Occurrence. - Hainan Island (Sun & Wang, 1996).

Key reference. - Serène & Umali (1965).

General distribution. - Philippines and Hainan Island, China; shallow water.

Family HIPPIDAE

Genus *Hippa* Fabricius, 1787

Hippa adactyla Fabricius, 1787

Type locality. - Coff's Harbour, New South Wales, Australia [restricted by neotype designation by Haig (1970)].

Occurrence. - Paracel Islands (Sun & Wang, 1996).

Key reference. - Miyake (1978).

General distribution. - Madagascar, India, Marquesus Islands, Australia, China, Taiwan and Japan; littoral.

Hippa pacifica (Dana, 1852)

Type locality. - The type series came from three different localities in the Pacific Ocean: Ovalau Island, Fiji Islands; Sandwich Islands; Samoa Islands.

Occurrence. - Paracel Islands (Sun & Wang, 1996).

Key reference. - Miyake (1978).

General distribution. - Widely distributed in the Indo-West Pacific; littoral.

Genus *Mastigopus* Stimpson, 1858

Mastigopus gracilis Stimpson, 1858

Type locality. - "In mari Sinensi, lat. bor. 23°".

Occurrence. - Type locality (Stimpson, 1858); Hainan Island (Sun & Wang, 1996).

Key reference. - Miers (1879); Sun & Wang (1996).

General distribution. - China; shallow water.

ACKNOWLEDGMENTS

I wish to thank Prof. T.-Y. Chan, Institute of Marine Biology, National Taiwan Ocean University, and Dr. M. Osawa, Ocean Research Institute, University of Tokyo, for their advice on the manuscript. Dr. Osawa kindly provided me with literature on porcellanid taxonomy.

LITERATURE CITED

- Adams, A. & A. White, 1848. Crustacea. In: A. Adams, *The Zoology of the voyage of H.M.S. Samarang 1843-1846*. viii+66 pp., 13 pls. London.
- Alcock, A., 1894. On the results of deep-sea dredging during the season 1890-91 (continued). Natural history notes from H.M. Indian Marine Survey Steamer "Investigator", Commander R. F. Hoskyn, R. N., commanding. *Ann. Mag. Nat. Hist.*, (6)13: 225-245.
- Alcock, A., 1901. *A descriptive catalogue of the Indian deep-sea Crustacea Decapoda Macrura and Anomala, in the Indian Museum. Being a revised account of the deep-sea species collected by the Royal Indian Marine Survey Ship Investigator*. iv+286 pp., 3 pls. Indian Museum, Calcutta.
- Alcock, A. & A. R. S. Anderson, 1894. An account of a recent collection of deep sea Crustacea from the Bay of Bengal and Laccadive Sea. Natural history notes from H.M. Indian Marine Survey Steamer "Investigator," commander C.F. Oldham, R.N., commanding. Series II, No. 14. *J. Asiatic Soc. Bengal*, 63: 141-189, pl. 9.

Komai: List of Thalassinidea and Anomura

- Alcock, A. & A. R. S. Anderson, 1899. An account of the deep-sea Crustacea dredged during the surveying season of 1897-98. Natural history notes from H.M. Indian Marine Survey Steamer "Investigator", Commander T. H. Heming, R. N., commanding. *Ann. Mag. Nat. Hist.*, (7)3: 1-27. 278-292.
- Audoiuin, V., 1826. Explication sommaire des planches de Crustacés de l'Égypte et de la Syrie, publiées par Jules-César Savigny, membre de l'Institut: offrant un exposé des caractères naturels des genres, avec la distinction des espèces. In: Description de l'Égypte, ou Recueil des observations et des recherches qui ont été faites en Égypte pendant l'Expédition de l'Armée Française. Histoire naturelle, 1. Pp. 78-98. Paris.
- Baba, K., 1969. Four new genera with their representatives and six new species of the Galatheidae in the collection of the Zoological Laboratory, Kyushu University, with redefinition of the genus Galathea. *OHMU*, 2(1): 1-32.
- Baba, K., 1977. Biological results of the Snellius Expedition XXVIII. The galatheid Crustacea of the Snellius Expedition. *Zool. Meded.*, 50(15): 243-259.
- Baba, K., 1978. A new deep-sea galatheid (Crustacea, Anomura) from northern South China Sea. *Proc. Jap. Soc. Syst. Zool.*, 15: 31-35.
- Baba, K., 1979. Expédition Rumphius II (1975), Crustacés parasites, commensaux, etc. VII. Galatheid crustaceans (Decapoda, Anomura). *Bull. Mus. natn. Hist. nat., Paris, 4e sér.*, 1: 643-657.
- Baba, K., 1981. Deep-sea galatheid Crustacea (Decapoda, Anomura) taken by the R/V *Soyomaru* in Japanese waters. I. Family Chirostylidae. *Bull. Natn. Sci. Mus., Ser. A (Zool.)*, 7(3): 111-134.
- Baba, K., 1982. Deep-sea galatheid Crustacea (Decapoda, Anomura) taken by the R/V *Soyomaru* in Japanese waters. II. Family Galatheidae. *Bull. Natn. Sci. Mus., Ser. A (Zool.)*, 8(3): 103-118, pls. 1, 2.
- Baba, K., 1986. Astacidea, Palinuridea, Anomura and Brachyura. In: K. Baba, K. Hayashi & M. Toriyama (eds.), Decapod crustaceans from continental shelf and slope around Japan. Pp. 148-231 (Japanese), 279-316 (English). Japan Fisheries Resource Conservation Association, Tokyo.
- Baba, K., 1988. Chirostylid and galatheid crustaceans (Decapoda: Anomura) of the "Albatross" Philippine Expedition, 1907-1910. *Res. Crust. Special Number 2*: i-v, 1-203.
- Baba, K., 1994. Deep-sea galatheid crustaceans (Anomura: Galatheidae) collected by the 'Cidaris I' Expedition off Central Queensland, Australia. *Mem. Queensland Mus.*, 35(1): 1-21.
- Baba, K. & E. Macpherson, 1991. Reexamination of the type material of *Munida militaris* Henderson, 1885 (Crustacea: Decapoda: Galatheidae), with the selection of a lectotype. *Proc. Biol. Soc. Wash.*, 104(3): 538-544.
- Baba, K. & S.-C. Oh, 1990. Galathea coralliophilus, a new decapod crustacean (Anomura: Galatheidae) from Singapore, Gulf of Thailand, and West Irian. *Proc. Biol. Soc. Wash.*, 103(2): 358-363.
- Baba, K. & M. de Saint Laurent, 1995. Crustacea Decapoda: Revision of the genus Bathymunida Balss, 1914, and description of six new related genera. In: A. Crosnier (ed.), Résultats des Campagnes MUSORSTOM, Volume 15. *Mém. Mus. Natn. Hist. Nat.*, 168: 433-502.
- Baba, K. & H.-P. Yu, 1987. *Munida albiapicula*, a new species of anomuran crustacean (Decapoda: Galatheidae) from Taiwan. *Bull. Inst. Zool., Acad. Sinica*, 26(4): 331-335.
- Balss, H., 1913. Ostasiatische Decapoden. I. Die Galatheidae und Paguridae. *Abh. K. Bayer. Akad. Wiss., math.-physik. Kl., Suppl.*, 2(9), 1-85, pls. 1, 2.
- Benedict, J. E., 1902. Descriptions of a new genus and forty-six new species of crustaceans of the family Galatheidae, with a list of the known marine species. *Proc. U. S. Natn. Mus.*, 26: 243-344.
- Boas, J. E. V., 1926. Zur Kenntnis symmetrischer Paguriden. *K. Danske Vidensk. Selsk. Skr. Biol. Meded.*, 5(6): 1-52.
- Borradaile, L. A., 1898. On some crustaceans from the South Pacific. Part II. Macrura Anomala. *Proc. Zool. Soc. London*, 1898: 457-468.
- Chopra, B., 1933. Further notes on Crustacea Decapoda in the Indian Museum. V. On Eutrichocheles modestus (Herbst): Family Axiidae. *Rec. Indian Mus.*, 35(2): 277-281.

- Dana, J., 1852. Crustacea, Part 1. In: United States Exploring Expedition, during the years 1838, 1839, 1840, 1841, 1842, under command of Charles Wilkes, U.S.N., 13. viii+685 pp. Philadelphia.
- Doflein, F. & H. Balss, 1913. Die Galatheiden der Deutschen Tiefsee-Expedition. Wissenschaftliche Ergebnisse der Deutschen Teef-see Expedition auf dem Dampfer "Valdivia" 1898-1899, 20: 125-184, pls. 12-17.
- Esmark, L., 1857. Om Galathea tridentata. *Forh. skand. naturf.*, 7(1): 239-240. (not seen).
- Fabricius, J. C., 1787. Mantissa insectorum sistens eorum species nuper detectas adjectis characteribus genericis differentiis specificis, emendationibus, observationibus, 1: i-xx, 1-348. (not seen)
- Fabricius, J. C., 1793. Entomologia systematica emendata et aucta secundum classes, ordines, genera, species adjectis synonymis, locis, observationibus, descriptionibus, 2: i-viii, 1-519. (not seen)
- Forest, J., 1987. Les Pylochelidae ou Pagures symétriques (Crustacea Coenobitoidea). Résultats des campagnes MUSORSTOM, Vol. 3. *Mém. Mus. Natn. Nat., Zool.*, 137: 1-254, 9 pls.
- Goh, B. P. L., L. M. Chou & P. K. L. Ng, 1989. Anomuran and brachyuran crab symbionts of Singapore hard corals of the families Acroporidae, Agariciidae and Pocilloporidae. *Indo-Malayan Zool.*, 6: 25-44.
- Gordon, I., 1930. On the species of the galatheid genus *Eumunida* (Crustacea, Decapoda). *Proc. Zool. Soc. London*, 4: 741-754.
- Gordon, I., 1931. Brachyura from the coast of China. *J. Linn. Soc. London (Zool.)*, 37: 525-558.
- Haan, W. de., 1833-1850. Crustacea. In: P. F. von Siebold (ed.), *Fauna Japonica, sive descriptio animalium, quae in itinere per Japoniam, jussu et auspiciis superiorum, qui summum in India Batava Imperium tenent, suscepto, annis 1823-1830 collegit, notis, observationibus et adumbrationibus illustravit.* i-xxi, vii-xvii, ix-xvi, 243 pp. Lugduni Batavorum, Leiden.
- Haig, J., 1964. Porcellanid crabs from the Indo-West Pacific, part I. - Papers from Dr. Th. Mortensen's Pacific expedition 1914-1916., 81. *Vid. Med. Dansk Nat. For. Kjøbenhavn*, 126: 355-386.
- Haig, J., 1965. The Porcellanidae (Crustacea, Anomura) of Western Australia, with description of four new species. *J. Roy. Soc. W. Aust.*, 48(4): 97-118.
- Haig, J., 1966. A review of the Indo-West Pacific species of the genus *Pachycheles* (Porcellanidae, Anomura). Proceedings of the Symposium of Crustacea held at Ernakulam from January 12 to 15, 1965, 1: 285-294. Marine Biological Association of India.
- Haig, J., 1970. The status of *Remipes testudinarius* Latreille, and designation of a neotype for *Hippa adactyla* J. C. Fabricius (Decapoda: Hippidae). *Crustaceana*, 19(3): 288-296.
- Haig, J., 1973. Galatheidea (Crustacea, Decapoda, Anomura) collected by the F.I.S. Endeavour. *Rec. Aust. Mus.*, 28: 269-289.
- Haig, J., 1974. The anomuran crabs of Western Australia: Their distribution in the Indian Ocean and adjacent seas. *J. Mar. Biol. Assoc. India*, 14(2): 443-451.
- Haig, J., 1979. Expédition Rumphius II (1975), Crustacés parasites, commensaux, etc. V. Porcellanidae (Crustacea, Decapoda, Anomura). *Bull. Mus. natn. Hist. nat., Paris, 4e sér.*, 1: 119-136.
- Haig, J., 1981. Porcellanid crabs from the Indo-Pacific, Part II. *Steenstrupia*, 7: 269-291.
- Haig, J., 1992. Hong Kong's porcellanid crabs. In: The marine flora and fauna of Hong Kong and southern China III: 303-327.
- Haswell, W. A., 1882. Description of some new species of Australian Decapoda. *Proc. Linn. Soc. N.S.W.*, 6: 750-763.
- Heller, C., 1861. Synopsis der im Rothen Meere vorkommenden Crustaceen. *Verhand. K. Zool.-Bot. Gesel. Wien*, 11: 3-32. (not seen)
- Heller, C., 1862. Neue Crustaceen gesammelt während der Weltumsegelung der K. K. Fregatte "Novara." Zweiter vorläufiger Bericht. *Verhand. K. Zool.-Bot. Gesel. Wien*, 12: 519-528.
- Heller, C., 1865. Crustaceen. In: Reise der Österreichischen Fregatte Novara um die Erde in den Jahren 1857, 1858, 1859 unter den Befehlen des Commandore B. von Wüllerstorff-Urbair. Zoologischer Theil, 2(3). 280 pp. Kaiserlich-königlichen Hofund Staatsdruckerei, Wien.
- Henderson, J. R., 1885. Diagnoses of the new species of Galatheidea collected during the "Challenger" Expedition. *Ann. Mag. Nat. Hist.*, (5)16: 407-421.

Komai: List of Thalassinidea and Anomura

- Henderson, J. R., 1888. Report on the Anomura collected by H.M.S. Challenger during the years 1873-76. Report on the scientific results of the voyage of H.M.S. Challenger during the years 1873-76, *Zoology*, 27: vi+221 pp., 21 pls.
- Herbst, F. W., 1804. Versuch einer Naturgeschichte der Krabben und Krebse, 3(4): 1-49. (not seen)
- Holthuis, L. B., 1991. Marine lobsters of the world. FAO Species Catalogue Vol. 13. FAO Fish. Syn., 125(13): i-viii, 1-292.
- Hsieh, B.-F., T.-Y. Chan & H.-P. Yu, 1998. On the porcellanid crabs (Crustacea: Decapoda: Porcellanidae) of Taiwan. *Ann. Taiwan Mus.*, 40: 275-360. (in Chinese with English abstract)
- Johnson, D. S., 1958. The Indo-West Pacific species of the genus *Polyonyx* (Crustacea, Decapoda, Porcellanidae). *Ann. Zool.*, AGRA, 2(8): 95-118.
- Johnson, D. S., 1970. The Galatheidae (Crustacea: Decapoda) of Singapore and adjacent waters. *Bull. Natn. Mus. Singapore*, 35: 1-44.
- Kensley, B., 1981. Notes on *Axiopsis* (*Axiopsis*) *serratifrons* (A. Milne Edwards) (Crustacea: Decapoda: Thalassinidea). *Proc. Biol. Soc. Wash.*, 93(4): 1253-1263.
- Kensley, B. & T.-Y. Chan, 1998. Three new species of thalassinidean shrimps (Crustacea, Axiiidae and Calocarididae) from Taiwan. *Zoosystema*, 20(2): 255-264.
- Kishinouye, K., 1926. Two rare and remarkable forms of macrurous Crustacea from Japan. *Jap. J. Zool.*, 63-69.
- Kropp, R. K., 1983. Three new species of Porcellanidae (Crustacea: Anomura) from the Mariana Islands and a discussion of Borradaile's *Petrolisthes lamarckii* complex. *Micronesica*, 19(1-2): 91-106.
- Kropp, R. K., 1986. A neotype designation for *Petrolisthes tomentosus* (Dana), and description of *Petrolisthes heterochrous*, new species, from the Mariana Islands (Anomura: Porcellanidae). *Proc. Biol. Soc. Wash.*, 99(3): 452-463.
- Leach, W. E., 1820. Galatéadées. Dictionnaire des sciences naturelles, 18: 49-56. F. G. Levrault, Strasbourg, *Le Normant*, Paris. (not seen)
- Linnaeus, C., 1767. Systema naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymiis, locis. Edition 12, Part 1. 1327 pp. Holmiae, Stockholm.
- Liu, J.-Y. & Z.-R. Zhong, 1994. Crustacea: Decapoda: Dendrobranchiata, Caridea, Astacidea, Thalassinidea, Palinulidea. In: Huang, Z.-G. (ed.), Marine species and their distributions in China's seas. Pp. 545-568. China Ocean Press, Beijing.
- MacGilchrist, A. C., 1905. An account of the new and some of the rarer decapod Crustacea obtained during the surveying seasons 1901-1904. Natural history notes from the R.I.M.S. "Investigator," Capt. T.H. Heming, R.N. (retired), commanding. *Ann. Mag. Nat. Hist.*, (7)15: 233-268.
- Macpherson, E., 1990. Crustacea Decapoda: On some species of Lithodidae from the Western Pacific. In: A. Crosnier (ed.), Résultats des campagnes MUSORSTOM Vol. 6. *Mém. Mus. natn. Hist. nat.*, *Zool.*, 145: 217-226.
- Macpherson, E., 1993a. Crustacea Decapoda: Species of the genus *Munida* Leach, 1820 (Galatheidae) collected during the MUSORSTOM and CORINDON cruises in the Philippines and Indonesia. In: A. Crosnier (ed.), Résultats des Campagnes MUSORSTOM, Volume 10. *Mém. Mus. natn. Hist. nat.*, 156: 421-442.
- Macpherson, E., 1993b. Crustacea Decapoda: Species of the genus *Paramunida* Baba, 1988 (Galatheidae) from the Philippines, Indonesia and New Caledonia. In: A. Crosnier (ed.), Résultats des Campagnes MUSORSTOM, Volume 10. *Mém. Mus. natn. Hist. nat.*, 156: 443-473.
- Macpherson, E., 1994. Crustacea Decapoda: Studies on the genus *Munida* Leach, 1820 (Galatheidae) in New Caledonian and adjacent waters, with descriptions of 56 new species. In: A. Crosnier (ed.), Résultats des Campagnes MUSORSTOM, Volume 12. *Mém. Mus. natn. Hist. nat.*, 161: 421-569.
- Macpherson, E. & K. Baba, 1993. Crustacea Decapoda: *Munida japonica* Stimpson, 1858, and related species (Galatheidae). In: A. Crosnier (ed.), Résultats des Campagnes MUSORSTOM, Volume 10. *Mém. Mus. natn. Hist. nat.*, 156: 381-420.

- Man, J. G. de., 1888. Bericht über die von Herrn Dr. J. Bock in Indischen Archipel gesammelten Decapoden und Stomatopoden. *Arch. Naturgesch.*, 53: 215-600.
- Man, J. G. de, 1905. Diagnoses of new species of macrurous decapod Crustacea from the "Siboga Expedition". *Tijdschr. ned. dierk. Vereen.*, 9(2): 587-614. (not seen)
- Man, J. G. de, 1925. The Axiidae collected by the Siboga Expedition. The Decapoda of the Siboga Expedition, Part VI. *Siboga Expeditie*, 39a5: 1-128, pls. 1-10.
- Man, J. G. de, 1928. The Thalassinidea and Callianassidae collected by the Siboga-Expedition with some remarks on the Laomedidae. The Decapoda of the Siboga Expedition, Part VII. *Siboga Expeditie*, 39a6: 1-187, pls. 1-20.
- Miers, E. J., 1879. Revision of Hippidae. *J. Linn. Soc. London, Zool.*, 14: 312-336, pl. 5.
- Miers, E. J., 1884. Crustacea. In: Report on the zoological collections made in the Indo-Pacific Ocean during the voyage of H.M.S. "Alert" 1881-1882. Pp. 178-322, 513-575, pls. 18-32, 46-52. British Museum, London.
- Milne Edwards, A., 1873. Description de quelques Crustacés nouveaux ou peu connus provenant du Musée de M.C. Godeffroy. *J. Mus. Godeffroy*, 4: 77-88 (1-12 on reprint).
- Milne Edwards, H., 1837. Histoire naturelle des Crustacés, comprenant l'anatomy, la physiologie et la classification de ces Anomaux, Vol. 2. Pp. 532.
- Miyake, S., 1942. Studies on the decapod crustaceans of Micronesia. III. Porcellanidae. Palau Trop. *Biol. Stn., Stud.*, 2: 329-379, pl. 1.
- Miyake, S., 1943. Studies on the crab-shaped Anomura of Nippon and adjacent waters. *J. Dep. Agr., Kyushu Imp. Univ.*, 7: 49-158.
- Miyake, S., 1961. Three new species of Anomura from Japan (Decapoda, Crustacea). *J. Fac. Agr., Kyushu Univ.*, 11(3): 238-247.
- Miyake, S., 1978. The Crustacea Anomura of Sagami Bay. Hoikusha, Tokyo. 200 pp. (English), 161 pp. (Japanese).
- Miyake, S., 1982. Japanese crustacean decapods and stomatopods in color. Vol. I. Macrura, Anomura and Stomatopoda. Hoikusha, Osaka. vii+261 pp., 56 pls. (in Japanese)
- Miyake, S. & K. Baba, 1964. Two new species of Galathea from Japan and the East China Sea. *J. Fac. Agr., Kyushu Univ.*, 13(1): 205-211.
- Miyake, S. & K. Baba, 1966. Two new species of the family Galatheididae from the Tosa Bay, Japan. *J. Fac. Agr., Kyushu Univ.*, 14(1): 81-88.
- Miyake, S. & K. Baba, 1967a. Descriptions of new species of galatheids from the western Pacific. *J. Fac. Agri., Kyushu Univ.*, 14(2): 203-212.
- Miyake, S. & K. Baba, 1967b. Galatheids of the East China Sea (Chirostylidae and Galatheididae, Decapoda, Crustacea). *J. Fac. Agr., Kyushu Univ.*, 14(2): 225-246.
- Miyake, S. & K. Baba, 1968. On the generic characters of *Chirostylus*, with description of two Japanese species (Crustacea, Anomura). *J. Fac. Agri., Kyushu Univ.*, 14(3): 379-387.
- Miyake, S. & Y. Nakasone, 1966. On two species of the genus *Petrolisthes* (Anomura, Porcellanidae) from Japan. *J. Fac. Agr., Kyushu Univ.*, 14(1): 173-182.
- Nakasone, Y. & S. Miyake, 1968a. On six species of *Pachycheles* (Anomura: Porcellanidae) from the West Pacific. *OHMU*, 1(2): 61-83, pls. 5, 6.
- Nakasone, Y. & S. Miyake, 1968b. Four unrecorded porcellanid crabs (Anomura: Porcellanidae) from Okinawa, the Ryukyu Islands. *OHMU*, 1(4): 97-111.
- Nakasone, Y. & S. Miyake, 1969. A new porcellanid crab (Anomura: Porcellanidae) from Japan (*Aliaporcellana kikuchii* gen. et. sp. nov.), with description of two species of the new genus. *Publ. Amakusa Mar. Biol. Lab., Kyushu Univ.*, 2(1): 17-32.
- Nakasone, Y. & S. Miyake, 1971. Porcellanid crabs (Anomura: Porcellanidae) from New Caledonia and the Fiji Islands. *Biol. Mag. Okinawa*, 8: 1-13.
- Ng, P. K. L. & N. K. C. Goh, 1996. Notes on the taxonomy and ecology of *Aliaporcellana telestophila* (Johnson, 1958) (Decapoda, Anomura, Porcellanidae), a crab commensal on the gorgonian *Solenocaulon*. *Crustaceana*, 69(5): 654-661.

Komai: List of Thalassinidea and Anomura

- Ng, P. K. L. & Y. Nakasone, 1993. Taxonomy and ecology of the porcellanid crab *Polyonyx cometes* Walker, 1887 (Crustacea: Decapoda), with description of a new genus. *J. Nat. Hist.*, 27: 1103-1117.
- Ng, P. K. L. & Y. Nakasone, 1994. On the porcellanid genera *Raphidopus* Stimpson, 1858, and *Pseudoporcellanella* Sankarankutty, 1961, with description of a new mangrove species, *Raphidopus johnsoni* from Singapore (Decapoda, Anomura). *Crustaceana*, 66(1): 1-21.
- Ngoc-Ho, N., 1990. Nine Indo-Pacific species of *Upogebia* Leach (Crustacea: Thalassinidea: Upogebiidae). *J. Nat. Hist.*, 24: 965-985.
- Ngoc-Ho, N., 1991. Sur quelques Callianassidae et Upogebiidae de Nouvelle-Calédonie (Crustacea, Thalassinidea). In: B. Richer de Forges (ed.), Le benthos des fonds meubles des lagons de Nouvelle Calédonie, 1: 281-311. ORSTOM Editions, Paris.
- Ngoc-Ho, N., 1994. Notes on some Indo-Pacific Upogebiidae with descriptions of four new species (Crustacea: Thalassinidea). *Mem. Queensland Mus.*, 35(1): 193-216.
- Ngoc-Ho, N., 1997. The genus *Laomedea* de Haan, 1841 with description of a new species from Vietnam (Crustacea, Thalassinidea, Laomedidae). *Zoosystema*, 19(4): 729-747.
- Ngoc-Ho, N., 1998. Le genre *Eutrichocheles* Wood Mason, 1876 (Crustacea, Decapoda, Thalassinidea) en Polynésie française et au Vietnam avec description de deux espèces nouvelles. *Zoosystema*, 20(2): 363-378.
- Ngoc-Ho, N. & T.-Y. Chan, 1992. *Upogebia edulis*, new species, a mud shrimp (Crustacea: Thalassinidea: Upogebiidae) from Taiwan and Vietnam, with a note on polymorphism in the male first pereopod. *Raff. Bull. Zool.*, 40(1): 33-44.
- Ortmann, A., 1892. Die Decapoden-Krebse des Strassburger Museums, mit besonderer Berücksichtigung der von Herrn Dr. Döderlein bei Japan und bei den Liu-Kiu-Inseln gesammelten und our Zeit im Strassburger Museum aufbewahrten Formen. IV. Die Abtheilungen Galatheidea und Paguridea. *Zool. Jb. (Syst.)*, 6: 241-326.
- Osawa, M., 1998. Two rare species of *Petrolisthes* (Decapoda: Anomura: Porcellanidae) from the Ryukyu Islands, with the description of a new species of the genus. *J. Crust. Biol.*, 18(3): 597-615.
- Osawa, M. & K. Nishikiori, 1998. A new species of the genus *Chirostylus* Ortmann, 1892 (Crustacea: Decapoda: Anomura: Chirostylidae) from the Ogasawara Islands, southern Japan. *Proc. Biol. Soc. Wash.*, 111(2): 382-388.
- Owen, R., 1839. Crustacea. In: The zoology of Captain Beechy's voyage: compiled from the collections and notes made by Captain Beechey, the officers and naturalist of the expedition, during a voyage to the Pacific and Bering Straits performed in His Majesty's ship Blossom, under command of Captain F. W. Beechey, R.N., F.R.S. in the years 1825, 26, 27, and 28. Pp. 77-92. H. G. Bohn, London.
- Parisi, B., 1917. I Decapodi giapponesi del Museo di Milano. V. Galatheidea e Reptantia. *Atti Soc. Ital. Sci. Nat.*, 56: 1-24.
- Poore, G. C. B., 1994. A phylogeny of the families of Thalassinidea (Crustacea: Decapoda) with keys to families and genera. *Mem. Mus. Victoria*, 54(1): 79-120.
- Poore, G. C. B., 1997. A review of the thalassinidean families Callianeidae Kossman, Micheleidae Sakai, and Thomassinidae de Saint Laurent (Crustacea, Decapoda) with descriptions of fifteen new species. *Zoosystema*, 19(2-3): 345-420.
- Poore, G. C. B. & D. J. G. Griffin, 1979. The Thalassinidea (Crustacea: Decapoda) of Australia. *Rec. Aust. Mus.*, 32(6): 217-321.
- Rahayu, D. L., 2000. Hermit crabs from the South China Sea (Crustacea: Decapoda: Anomura: Diogeniidae, Paguridae, Parapaguridae). *Raffles Bull. Zool.*, Suppl. 8: 377-404.
- Saint Laurent, M. de & E. Macpherson, 1990. Crustacea Decapoda: le genre *Eumunida* Smith, 1883 (Chirostylidae) dans les eaux néo-calédoniennes. In: A. Crosnier (ed.), Résultats des Campagnes MUSORSTOM, Volume 6. *Mém. Mus. Nat. Hist. Nat.*, 145: 227-288.
- Saint Laurent, M. de & J. Poupin, 1996. Crustacea, Anomura: Les espèces indo-ouest pacifiques du genre *Eumunida* Smith, 1880 (Chirostylidae) description de six espèces nouvelles. In: A. Crosnier (ed.), Résultats des campagnes MUSORSTOM, Vol. 15. *Mém. Mus. Nat. Hist. Nat.*, 137: 337-385.

- Sankarankutty, C., 1961a. On a new genus of Porcellanidae (Crustacea, Anomura). *J. Mar. Biol. Ass. India*, 3: 92-95.
- Sankarankutty, C., 1961b. On the porcellanid crab, *Porcellanella triloba* White (Crustacea - Anomura), a commensal on sea pen; with remarks on allied species. *J. Mar. Biol. Ass. India*, 3: 96-100.
- Sakai, K., 1982. Revision of Upogebiidae (Decapoda, Thalassinidea) in the Indo-West Pacific region. *Res. Crust.*, Special Number 1: 1-106, 7 pls.
- Sakai, K., 1992. The families Callianideidae and Thalassinidae, with the description of two new subfamilies, one new genus and two new species (Decapoda, Thalassinidea). *Naturalists*, 4: 1-33.
- Sakai, K., 1993. On a collection of Upogebiidae (Crustacea, Thalassinidea) from the Northern Territory Museum, Australia, with the descriptions of two new species. *Beagle, Rec. North. Terr. Mus. Arts Sci.*, 10(1): 87-114.
- Sakai, K. & M. de Saint Laurent, 1989. A check list of Axiidae (Decapoda, Crustacea, Thalassinidea, Anomura), with remarks and in addition descriptions of one new subfamily, eleven new genera and two new species. *Naturalists*, 3: 1-104.
- Sakai, K. & M. Türkay, 1995. Two upogebiid species from the Persian-Arabian Gulf, with the description of a related new species from Taiwan (Crustacea: Decapoda: Upogebiidae). *Sencken. Mar.*, 25(4/6): 197-208.
- Serène, R., 1979. Description of *Paralbunea manihinei* gen. and spec. nov. (Decapoda, Hippidea, Albuneidae). *Crustaceana, Suppl.*, 5: 95-99, 1 pl.
- Serène, R. & A. F. Umali, 1965. A review of Philippine Albuneidae, with descriptions of two new species. *Philippine J. Sci.*, 94: 87-116, pls. 1-6.
- Stimpson, W. 1858. Prodromus descriptionis animalium evertebratorum, quae in Expeditione ad Oceanum Pacificum Septentrionalem, a Republica Federata missam Cadwaladaro Ringgold et Johanne Rodgers ducibus, observavit et descripsit, Pars VII: Crustacea Anomura. *Proc. Acad. Nat. Sci. Philadelphia*, 10: 225-252.
- Stimpson, W. 1860. Prodromus descriptionis animalium evertebratorum, quae in Expeditione ad Oceanum Pacificum Septentrionalem, a Republica Federata missam Cadwaladaro Ringgold et Johanne Rodgers ducibus, observavit et descripsit, Pars VIII: Crustacea Macrura. *Proc. Acad. Nat. Sci. Philadelphia*, 12: 22-47.
- Stimpson, W., 1907. Report on the Crustacea (Brachyura and Anomura) collected by the North Pacific Exploring Expedition 1853-1856. *Smiths. Misc. Coll.*, 49: 1-240, 26 pls.
- Sun, X.-M. & J.-R. Wang, 1996. Notes on the Hippoidea in the Beijing Natural History Museum. *Mem. Beijing Nat. Hist. Mus.*, 55: 25-37.
- Tirmizi, N. M. & W. Javed, 1976. A new species of *Munida* from the Indian Ocean, with a redescription of a syntype of *Munida spinulifera* Miers, 1884 (Decapoda, Galatheididae). *Crustaceana*, 31(1): 81-89.
- Van Dam, A. J., 1933. Galatheidea: Chirostylidae. Die Decapoden der Siboga-Expedition, Part VIII. *Siboga Expeditie*, 39a7: 1-46, pls. 1-10.
- Van Dam, A. J., 1939. Über einige Uroptychus-Arten des Museums zu Kopenhagen. Bijdragen tot de Dierkunde Uitgegeven door het koninklijk zoologisch genootschap "Natur Artis Magistra" de Amsterdam, 27: 392-407.
- Walker, A. O., 1887. Notes on a collection of Crustacea from Singapore. *J. Linn. Soc. London, Zool.*, 20: 107-117.
- Wang, F.-Z., 1994. Crustacea: Decapoda: Anomura. In: Huang, Z.-G., ed., Marine species and their distributions in China's seas: Pp. 568-576. China Ocean Press, Beijing. (in Chinese)
- Ward, M., 1942. Notes on Crustacea of the Desjardins Museum, Mauritias Institute, with descriptions of new genera and species. *Bull. Mauritias Inst.*, 2: 49-108.
- White, A., 1852. Description of some apparently new species of Annulosa, (collected by Mr. Macgillivray during the Voyage of H.M.S. Rattlesnake). In: Narrative of the voyage of Rattlesnake during the years 1846-1850, 2. Pp. 387-395, 2 pls. London.
- Wood Mason, J., 1876. On the *Astacus modestus* of Herbst. *Ann. Mag. Nat. Hist.*, (4)17: 264.

Komai: List of Thalassinidea and Anomura

- Wu, M.-F., T.-Y. Chan & H.-P. Yu, 1998. On the Chirostylidae and Galatheidae (Crustacea: Decapoda: Galatheidea) of Taiwan. *Ann. Taiwan Mus.*, 40: 75-153. (in Chinese with English abstract)
- Yanagita, I., 1943. Revision of *Munida*, a genus of decapod crustaceans found in Japanese waters. *Bull. Biogeogr. Soc. Japan*, 13: 13-32.
- Yang, S.-L., 1983. Preliminary report on the Porcellanidae (Crustacea, Anomura) of Xisha Islands, Guandong Province, China. *Mem. Beijing Nat. Hist. Mus.*, 24: 1-9. (in Chinese, with English abstract).
- Yang, S.-L., 1996. New species and new records of porcellanid crabs (Crustacea: Decapoda: Brachyura) from Nansha Islands, China. *Studies on marine fauna and flora and biogeography of the Nansha Islands and neighboring waters*, II: 258-269. China Ocean Press, Beijing. (in Chinese and English)
- Yang, S.-L. & X.-M. Sun, 1992. On the porcellanid crab (Anomura: Porcellanidae) of Guangxi Province, China. *Transactions of the Chinese Crustacean Society*, 3: 196-213. (in Chinese, with English text of description of new species)
- Yang, S.-L. & Z.-X. Xu, 1994. Study on the Porcellanidae (Crustacea, Anomura) from Nansha Islands and its adjacent waters. *Researches on the geography, flora and fauna of the Nansha Islands and its adjacent waters*, Beijing, 1: 112-124. China Ocean Press, Beijing. (in Chinese and English)
- Yokoya, Y., 1933. On the distribution of decapod Crustacea inhabiting the continental shelf around Japan, chiefly based upon the materials collected by S.S. "Soyo Maru" during the years 1923-1930. *J. Coll. Agr. Tokyo Imp. Univ.*, 12(1): 1-236.
- Yu, S.-C., 1931. On some species of shrimp-shaped Anomura from north China. *Bull. Fan Mem. Inst. Biol.*, 2(6): 85-97.
- Zehntner, L., 1894. Voyage de MM. M. Bedot et C. Pictet dans l'Archipel Malais. Crustacés de l'Archipel Malais. *Rev. Suisse Zool.*, 2: 135-214.