

Fig. 11. *Cyrtocarcinus truncatus*. Male, cb 13.5 mm, cl 9.6 mm (BPBM S8566). A, dorsal view (posterior part of carapace broken off); B, ventral view; C, frontal view of chela.




Fig. 12. *Cyrtocarcinus truncatus*. Male, cb 26.0 mm (BPBM S5632). A, dorsal view; B, dorso-marginal view of cheliped C, sternum (sternites 1 and 2 broken off).




Fig. 13. *Cyrtocarcinus truncatus*. A-G, Male, cb 13.5 mm, cl 9.6 mm (BPBM S8566); I, K, male, cb 26.0 mm (BPBM S5632); J, L-O, male, cb 23.5 mm, cl of both specimens not determinable as posterior part missing; H, P, Q (from either male cb 23.5 mm or cb 26.0 mm, not ascertainable as specimen dismembered). A, face of carapace; B, posterior margin of epistome; C, anterior sternites; D, left third maxilliped; E, posterior part of carapace (dorsal view); F, third ambulatory leg; G, fourth ambulatory leg; H, carpus of right cheliped; I, abdomen (ventral view); J, K, abdominal segments 3-5 (dorsal view); L-O, left male first pleopod; P, Q, left male second pleopod. L, O, dorsal view; M, N, ventral view. Scales = 1.0 mm.

General biology. - Rathbun (1906: 886) obtained the type from depths of 40-233 fathoms. Edmondson's (1951) specimens (BPBM S5632) had been collected by the "Makua", a government vessel which dredged at "... depths of 10 fathoms and beyond" (Edmondson, 1951: 183). The label on these specimens indicate a collection depth of between 40 to 350 feet. Takeda (1979: 68) reported two specimens in the BPBM which had been collected from much shallower water (10 and 75 feet depths).

ACKNOWLEDGEMENTS

We are grateful to Alain Crosnier and Bertrand Richer de Forges (ORSTOM) for sending the specimens to us for study and all their kind help. Bertrand also kindly passed us photographs of the live specimens and notes on the collecting sites. Lou Eldredge (Pacific Science Association) and Beatrice Burch (BPBM) arranged the loan of *Harrovia truncata* specimens, and Masatsune Takeda (NSMT) kindly sent us the type specimen of *G. lophopus* for study. Mr. H. K. Yip kindly took most of the photographs. Peter Davie, Danièle Guinot, Paul Clark and Zdravko Štević kindly read through the manuscript in detail, and although we do not agree with all their opinions, their criticisms and many suggestions have nevertheless helped to substantially modify our ideas and improve the paper. The study has been partially supported by a research grant (RP 900360) from the National University of Singapore.

LITERATURE CITED

- Adams, A. & A. White, 1848, 1849. Crustacea. In: A. Adams, ed., *The Zoology of the voyage of the H.M.S. Samarang; under the command of Captain Sir Edward Belcher, C.B., F.R.A.S., F.G.S. during the years 1843-1846.* viii+66 pages, pls. 1-13. Reeve, Benham & Reeve, London. [Pp. 1-32 and pls. 1-6 were published in 1848; pp. i-viii, 33-66 and pls. 7-13 in 1849]
- Alcock, A., 1898. Materials for a carcinological fauna of India. No. 3. The Brachyura Cyclometopha. Part I. The Family Xanthidae. *J. Asiatic. Soc. Bengal*, **67**(2)(1): 67-233.
- Dana, J. D., 1853. *On the classification and geographical distribution of Crustacea from the report on Crustacea of the United States Exploring Expedition, under Captain Charles Wilkes, U.S.N., during the years 1838-1842.* Pp. 1395-1592, 1 map.
- Edmondson, C. H., 1951. Some central Pacific Crustaceans. *Occ. Pap. Bernice P. Bishop Mus.*, **20**(3): 183-243.
- Lanchester, W. F., 1901. The Crustacea of the 'Skeat Expedition' to the Malay Peninsula, together with a note on the genus *Actaeopsis*. Part 1, Brachyura, Stomatopoda and Macrura. *Proc. Zool. Soc. Lond.*, **1901** : 534-574, pls. 33, 34.
- MacLeay, W.S., 1838. On the Brachyurous Decapod Crustacea. Brought from the Cape by Dr. Smith. In: A. Smith, *Illustrations of the Zoology of South Africa; consisting chiefly of figures and descriptions of the objects of natural history collected during an expedition into the interior of South Africa, in the years 1834, 1835, and 1836; fitted out by 'The Cape of Good Hope Association for Exploring Central Africa:' together with a summary of African Zoology, and an inquiry into the geographical ranges of species in that quarter of the globe, Published under the Authority of the Lords Commissioners of Her Majesty's Treasury, Invertebratae.* London: Smith, Elder & Co., [1849], pp. 53-71, pls. 2, 3.
- Ng, P. K. L., 1993. On a new genus and species of xanthid crab (Crustacea: Decapoda: Brachyura) from Chesterfield Island, Coral Sea. *Proc. Biol. Soc. Wash.*, U.S.A., **106**(4): 705-713.
- Odhner, T., 1925. Monographierte Gattungen der Krabben familie Xanthidae. I. *Gotesborg K. vetensk.-o. Vitterh. Samnh. Handl.*, (4)**29**(1): 1-29, pls. 1-5.

Ng & Chia: The Genus *Glyptocarcinus* Takeda

Rathbun, M. J., 1906. The Brachyura and Macrura of the Hawaiian Islands. *Bull. U.S. Fish. Comm.*, **23**[1903]: viii+827-930, pls. 1-24.

Sakai, T., 1974. Notes from the carcinological fauna of Japan (V). *Res. Crust., Jap. Carcinol. Soc.*, **6**: 86-102, colour frontispiece.

Sakai, T., 1976. *Crabs of Japan and the Adjacent Seas*. In three volumes; English Text, pp. xxix+773pp., Japanese Text, pp. 1-461, Plates Volume, pp. 1-16, pls. 1-251. Kodansha Ltd., Tokyo.

Serène, R., 1968. The Brachyura of the Indo-West Pacific Region. In Prodromus for a Check List of the non-planctonic marine fauna of South East Asia. *Singapore Natn. Acad. Sci., Sp. Publn. No. 1*: 33-112.

Serène, R. 1984. Crustacés Décapodes Brachyures de l'Océan Indien occidental et de la Mer Rouge. Xanthoidea: Xanthidae et Trapeziidae. Addendum Carpiliidae et Menippidae - A. Crosnier. Faune Tropicale (ORSTOM) **24**: 1-345, pls. 1-48, figs. A-C+1-243.

Serène, R., Tran van Duc & Nguyen van Luom, 1958. Eumeloninae du Viet-Nam (Crustacea). *Treubia*, **24**: 135-242, pls. 4-7.

Števčić, Z., P. Castro, & R. H. Gore, 1988. Re-establishment of the family Eumelonidae Dana, 1853 (Crustacea: Brachyura). *J. nat. Hist.*, **22**: 1301-1324, table 1.

Stimpson, W., 1859. Prodromus descriptionis animalium evertebratorum quo in Expeditione ad Oceanum Pacificum eptentrionalem a Republica Federata Missa, Cadwaladaro Ringgold et Johann Rodgers Ducibus, observavit et descriptis. Part IV Crustacea Cancroides and Corystidae, Cancridae. *Proc. Acad. nat. Sci., Philadelphia*, **10**: 31-40.

Takeda, M., 1973. A new genus and a new species of Parthenopidae from the sea off the Ogasawara Islands (Crustacea, Brachyura). *Bull. Natn. Sci. Mus.*, Tokyo, **16**: 31-36.

Takeda, M., 1976. Crabs of the Ogasawara Islands. I. List of the known species. *Res. Crustacea, Jap. Carcinol. Soc.*, **7**: 103-115.

Takeda, M., 1979. Generic and specific validity of *Glyptocarcinus lophopus* Takeda (Crustacea, Brachyura). *Proc. Jap. Soc. Syst. Zool.*, **17**: 68-72.

ERRATA

Van Weers, D. J., 1993. On the tooth morphology of the Long-tailed Porcupine *Trichys fasciculata* (Hystricida: Rodentia), with notes on the genera *Atherurus* and *Hystrix*. *Raffles Bulletin of Zoology*, 41(2): 251-261.

The enlargement factors in the figures should read as follow:

Fig. 1 (p. 253): Figure \pm x12.

Fig. 3 (p. 258): Figure \pm x6.

Fig. 4 (p. 258): Figure \pm x9.

Brandon-Jones, D., 1993. The taxonomic affinities of the Mentawai Islands Sureli, *Presbytis potenziani* (Bonaparte, 1856) (Mammalia: Primata: Cercopithecidae). *Raffles Bulletin of Zoology*, 41 (2): 331-357.

“Primata” in title (p. 331) should read as “Primates”.