

- 1928a. The Decapoda of the Siboga-Expedition. Part vii. The Thalassinidae and Callianassidae collected by the Siboga-Expedition, with some remarks on the Laomedidae. *Siboga-Exped. Monogr.* 39a (6): 1-187, 20 pls.
- 198b. A contribution to the knowledge of twenty-one species and three varieties of the genus *Callianassa* Leach. *Capita Zool.* 2 (6): 1-56, 12 pls.
- Martens, E. C. von, 1868. *Über einige neue Crustaceen.* *MB Akad Wiss. Berlin* 1868: 608-615.
- Miers, E. J., 1884. Crustacea. In: Report on the Zoological collections made in the Indo-Pacific Ocean during the Voyage of H.M.S. "Alert" 1881-2. British Museum, London. Pp 178-322, 513-575, pls 18-34, 46-52.
- Milne-Edwards, A., 1879. Additions à la famille des thalassiniens. *Bull. Soc. Philom. Paris* (7) 3: 110-113.
- Milne-Edwards, H., 1837. Histoire Naturelle des Crustacés, comprenant l'Anatomie, la Physiologie et la Classification de ces Animaux. Lib. Roret, Paris. Vol. 2 Pp 532. Atlas.
- Miyake, S. & Sakai, K., 1967. Two new species of Axiidae (Thalassinidea, Crustacea) from the East China Sea. *J. Fac. Agric., Kyushu Univ.* 14: 303-309, pl. 4.
- Ngoc-Ho, N., 1977. The larval development of *Upogebia darwini* (Crustacea, Thalassinidea) reared in the laboratory, with a redescription of the adult. *J. Zool. Lond.* 181: 439-464, 13 figs.
- Nobili, G., 1906. Crustacés décapodes et stomatopodes. Mission J. Bonnier et Ch. Perez (Golfe Persique 1901). *Bull. scient. Fr. Belg.* 40: 13-159, pls 3-7.
- Ortmann, A.E., 1894. Crustaceen. In: R. Semon (ed.), Zoologische Forschungsreisen in Australien und dem Malayischen Archipel. *Denkschr. med.-naturw. Ges. Jena* 8: 3-80, 3 pls.
- Poore, G.C.B., 1975. Systematics and distribution of *Callianassa* (Crustacea: Decapoda: Macrura) from Port Phillip Bay, Australia, with descriptions of two new species. *Pacif. Sci.* 29: 197-209, 8 figs.
- Rathbun, M.J., 1906. The Brachyura and Macrura of the Hawaiian Islands. *Bull. U.S. Fish. Comm.* 23: 827-930, 79 figs, 24 pls.
- Rodrigues, S. de A., 1971. Mud shrimps of the genus *Callianassa* Leach from the Brazilian coast (Crustacea, Decapoda). *Arq. Zool. S. Paulo* 20: 191-223, 98 figs.
- Saint Laurent, M. de, 1970. Capture, en Méditerranée, d'*Upogebia talismani* Bouvier, 1915 (Crustacea Decapoda Callianassidae). *Bull. Mus. natn. Hist. nat., Paris* 42: 1259-1262, 3 figs.
- 1972. Un thalassinide nouveau du golfe de Gascogne, *Calastacus laevis* sp. nov. Remarques sur le genre *Calastacus* Faxon. (Crustacea Decapoda Axiidae). *Bull. Mus. natn. Hist. nat., Paris, Zool.* 29: 347-356, 10 figs.
- 1973. Sur la systématique et la phylogénie des Thalassinidea: définition des familles des Callianassidae et des Upogebiidae et diagnose de cinq genres nouveaux (Crustacea Decapoda). *C.R. Acad. Sci. Paris (Ser D)*, 277: 513-516.
- Sakai, K., 1962. Systematic studies on Thalassinidea 1. *Laomedea astacina* de Haan. *Publ. Seto mar. biol. Lab.* 10: 27-34, pls 5-7.
- 1966. On *Callianassa (Callichirus) novaebritanniae* Borradaile (Thalassinidea, Crustacea) from Japan. *J. Fac. Agr. Kyushu Univ.* 14: 161-171, 4 figs.
- 1967a. Two new species of Axiidae (Thalassinidea, Crustacea) from the East China Sea. *J. Fac. Agr. Kyushu Univ.* 14: 303-309, 2 figs, pl. 4.
- 1967b. Three new species of Thalassinidea (Decapod Crustacea) from southwest Japan. *Publ. Seto mar. biol. Lab.* 15: 319-328, 4 figs, pl. 11.
- 1967c. Three new species of Thalassinidea (Decapoda, Crustacea) from Japan. *Researches on Crustacea* 3: 39-51, 3 figs.

- 1968. Three species of the genus *Upogebia* (Decapoda, Crustacea) in Japan. *J. Seika Women's Junior Coll.* 1: 45-50, 1 fig.
- 1969. Revision of Japanese callianassids based on the variations of larger cheliped in *Callianassa petalura* Stimpson and *C. japonica* Ortmann (Decapoda: Anomura). *Publ. Seto mar. biol. Lab.* 17: 209-252, pls 9-15, 8 text-figs.
- 1970a. Supplementary description of *Callianassa (Callichirus) tridentata* von Martens (Crustacea, Thalassinidea). *Publ. Seto mar. biol. Lab.* 17: 393-401, 3 figs.
- 1970b. A small collection of thalassinids from the waters around Tsushima Islands, including a new species of *Callianassa*. (Crustacea, Anomura). *Publ. Seto mar. biol. Lab.* 18: 37-47, 4 text-figs.
- 1970c. A new coral burrower, *Upogebia trybeta* sp. nov. (Crustacea, Thalassinidea) collected from Amami-Oshima, Japan. *Publ. Seto mar. biol. Lab.* 18: 49-56, figs 1, 2A, 2B.
- 1971. A new burrower, *Upogebia (Calliadne) kiiensis* sp. nov. (Crustacea, Thalassinidea) collected from Kii, Japan. *Publ. Seto mar. biol. Lab.* 19: 243-247, 2 text-figs.
- 1975. Thalassinidea of Kenya collected by Dr. A.J. Bruce (Crustacea, Decapoda) 1. Family Upogebiidae Borradaile, 1903. *Veröff. Zool. Staatssamml. München* 18: 1-44, 1 table, 15 figs.
- Sankolli, K.N., 1970-1972. The Thalassinidea (Crustacea, Anomura) of Maharashtra. *J. Bombay nat. Hist. Soc.* 67: 235-249, 4 figs (1970); 68: 94-106, figs 5-8 (1971); 68: 671-682, figs 9, 10 (1972).
- Stephenson, T.A., Stephenson, A., Tandy, G., & Spender, M., 1931. The structure and ecology of Low Isles and other reefs. *Scient. Rep. Gt Barrier Reef Exped.* 3: 17-112, 27 pls, 15 text-figs.
- Stimpson, W., 1860. Prodromus descriptionis animalum evertibratorum, quae in expeditione ad Oceanum Pacificum Septentrionalem, e Republica federata missa, C. Ringgold et J. Rodgers ducibus, observavit et descripsit. VIII Crustacea Macrura. *Proc. Acad. nat. Sci. Philad.* 1860: 22-47.
- Strahl, C., 1861. Über einige neue von Hrn F. Jagor eingesandte Thalassiniden und die systematische Stellung dieser Familie. *Mb. Akad. Wiss. Berlin* 1861: 1055-1072, 14 figs.
- 1862. On some new Thalassinidae sent from the Philippines by M. Jagor, and on the systematic position of that family. *Ann. Mag. nat. Hist.* (3) 9: 383-396.
- Thalwitz, J., 1891. Decapoden-Studien, insbesondere basiert auf A.B. Meyer's Sammlungen im Ostindischen Archipel, nebst einer Aufzählung der Decapoden und Stomatopoden des Dresdener Museums. *Abh. Ber. Zool. Mus. Dresden* 3: 1-55, 1 pl.
- Thistle, D., 1973. A taxonomic comparison of the American *Upogebia* (Decapoda, Thalassinidea) including two new species from the Caribbean. *Breviora* 408: 1-23, 6 figs.
- Thomson, G.M., 1893. Notes on Tasmanian Crustacea, with descriptions of new species. *Pap. Proc. R. Soc. Tas.* 1892: 45-76, 6 pls.
- Tirmizi, N.M., 1970. A new species of *Callianassa* (Decapoda, Thalassinidea) from West Pakistan. *Crustaceana* 19: 245-250, 3 figs.
- 1977. A redescription of the holotype of *Callianassa mucronata* Strahl, 1861 (Decapoda, Thalassinidea). *Crustaceana* 32: 21-26, 3 figs.
- Ward, M., 1945. A new crustacean. *Mem. Qd Museum* 12: 134-135, 1 pl.
- Waterman, T.H. & Chace, F.A., Jr, 1960. General crustacean biology. In: T. H. Waterman (ed), *The Physiology of Crustacea*. 1. Metabolism and Growth. Academic Press, New York & London. Pp xvii, 670.
- Wear, R.G. & Yaldwyn, J.C., 1966. Studies on thalassinid Crustacea (Decapoda, Macrura Reptantia) with a description of a new *Jaxea* from New Zealand and an account of its larval development. *Zool. Publ. Victoria Univ. Wellington* 41: 1-27, 5 figs.

- White, A., 1847. Descriptions of new or little-known decapod Crustacea in the collection at the British Museum. *Proc. zool. Soc. Lond.* 15: 118-124.
- Williams, A.B., 1974. Two new axiids (Crustacea: Decapoda: Thalassinidea: *Calocaris*) from North Carolina and the Straits of Florida. *Proc. biol. Soc. Washington* 87: 451-464, 18 figs.
- Yaldwyn, J.C. & Wear, R.G., 1970. Preliminary description of a new burrowing mud-shrimp from eastern Australia (Crustacea, Macrura Reptantia, Laomediidae). *Aust. Zool.* 15: 384-385, 1 fig.
- 1972. The eastern Australian burrowing mud-shrimp *Laomedia healyi* (Crustacea, Macrura Reptantia, Laomediidae) with notes on larvae of the genus *Laomedia*. *Aust. Zool.* 17:126-141, pls 6-7, 20 figs.
- Zairquiey Alvarez, R., 1968. Crustáceos decápodos Ibéricos. *Invest. Pesq., Barcelona* 32: 1-XV, 1-510, 164 figs.
- Zehntner, L., 1894. Crustacés de l'Archipel Malais. In: *Rev. Suisse Zool.* 2: 135-214, pls 7-9.

INDEX TO FAMILIES, GENERA, SUBGENERA AND SPECIES

- | | |
|---|---|
| acanthus, <i>Axius</i> , 222, 235, 236, 238 | <i>Axius acanthus</i> , 222, 235, 236, 238 |
| acanthus, <i>Eiconaxius</i> , 235 | <i>Axius brocki</i> , 228 |
| aequimana, <i>Callianassa</i> , 220, 245, 257, 310 | <i>Axius glyptocercus</i> , 222, 235, 236, 310 |
| amboinensis, <i>Callianassa</i> , 221, 248 | <i>Axius plectrorhynchus</i> , 222, 238, 242, 310 |
| anomala, <i>Thalassina</i> , 285 | <i>Axius waroona</i> , 222, 240, 310 |
| appendiculis, <i>Axiopsis</i> , 222, 224, 310 | <i>barbata</i> , <i>Gebia</i> , 292 |
| arenosa, <i>Callianassa</i> , 221, 250, 310 | <i>bowerbankii</i> , <i>Gebiopsis</i> , 289 |
| australiensis, <i>Axiopsis</i> , 221, 224, 226, 310 | <i>bowerbankii</i> , <i>Upogebia</i> , 223, 289, 310 |
| australiensis, <i>Callianassa</i> , 220, 250, 310 | <i>brocki</i> , <i>Axiopsis</i> , 222, 224, 226, 228, 310 |
| australiensis, <i>Trypaea</i> , 250 | <i>brocki</i> , <i>Axius</i> , 228 |
| australiensis, <i>Upogebia</i> , 223, 287, 309, 310 | <i>bulimba</i> , <i>Callianassa</i> , 220, 257 |
| australiensis, <i>Upogebia octoceras</i> , 287 | |
| <i>Axianassidae</i> , 218 | (<i>Calliadne</i>), <i>Upogebia</i> , 222, 287, |
| <i>Axiidae</i> , 218, 219, 221, 224, 312, 313 | <i>Callianassa</i> , 219, 220, 245, 312, 313 |
| <i>Axiopsis</i> , 221, 224, 312, 313 | <i>Callianassa aequimana</i> , 220, 245, 257, 310 |
| (<i>Axiopsis</i>), <i>Axiopsis</i> , 221, 224 | <i>Callianassa amboinensis</i> , 221, 248 |
| <i>Axiopsis appendiculis</i> , 222, 224, 310 | <i>Callianassa arenosa</i> , 221, 250, 310 |
| <i>Axiopsis australiensis</i> , 220, 224, 226, 310 | <i>Callianassa australiensis</i> , 220, 250, 310 |
| <i>Axiopsis brocki</i> , 222, 224, 226, 228, 310 | <i>Callianassa bulimba</i> , 220, 257 |
| <i>Axiopsis consobrina</i> , 221, 224, 230 | <i>Callianassa ceramica</i> , 221, 257, 310 |
| <i>Axiopsis werribee</i> , 221, 224, 232 | <i>Callianassa collaroy</i> , 220, 260, 263 |
| <i>Axius</i> , 222, 312, 313 | <i>Callianassa haswelli</i> , 220, 263, 310 |

- Callianassa jocularis*, 220, 266
Callianassa karumba, 220, 266, 277
Callianassa limosa, 221, 270, 310
Callianassa mucronata, 221, 268, 273, 310
Callianassa novaeguineae, 273
Callianassa tooradin, 220, 268, 275
Callianassidae, 218, 219, 245, 312, 313
Callianidea, 221, 281, 312, 313
Callianidea leura, 221, 281
Callianideidae, 218, 219, 221, 281, 312, 313
carinicauda, *Gebia*, 292
carinicauda, *Upogebia*, 223, 292, 293, 309
ceramica, *Callianassa*, 221, 257, 310
collaroy, *Callianassa*, 220, 260, 263
collini, *Ctenocheles*, 219, 277
consobrina, *Axiopsis*, 221, 224, 230
coolibah, *Gouretia*, 220, 278
Ctenocheles, 219, 245, 277, 312, 313
Ctenocheles collini, 219, 277
darwinii, *Gebiopsis*, 292
darwinii, *Upogebia*, 223, 292, 310
dromana, *Upogebia*, 223, 295, 297, 310
Eiconaxius acanthus, 235
Evaxius tricarinatus, 243
Gebia barbata, 292
Gebia carinicauda, 292
Gebia hexaceras, 299
Gebia hirtifrons, 287
Gebia simsoni, 301
Gebia spinifrons, 305
Gebiopsis bowerbankii, 289
Gebiopsis darwinni, 292
Gebiopsis intermedia, 292
giralia, *Upogebia*, 223, 297, 310
glyptocercus, *Axius*, 222, 235, 236, 310
Gouretia, 220, 245, 278, 312, 313
Gouretia coolibah, 220, 278
haswelli, *Callianassa*, 220, 263, 310
healyi, *Laomedia*, 224, 284, 310, 313
hexaceras, *Gebia*, 299
hexaceras, *Upogebia*, 223, 289, 299, 310
hirtifrons, *Gebia*, 287
intermedia, *Gebiopsis*, 292
jocularis, *Callianassa*, 220, 266
karumba, *Callianassa*, 220, 266, 277
Laomedia, 223, 284, 312, 313
Laomedia healyi, 224, 284, 310, 313
Laomedia sp., 284
Laomediidae, 218, 223, 284, 312, 313
leura, *Callianidea*, 221, 281
limosa, *Callianassa*, 221, 270, 310
maxima, *Thalassina*, 285, 286
mucronata, *Callianassa*, 221, 268, 273, 310
(Neaxius), *Axius*, 222, 235
neglecta, *Upogebia*, 223, 301
novaeguineae, *Callianassa*, 273
octoceras australiensis, *Upogebia*, 287
(Paraxiopsis), *Axiopsis*, 221, 224
plectorhynchus, *Axius*, 222, 238, 242, 310
porcellana, *Trypaea*, 250

- Scytoleptus, 222, 243, 312, 313
Scytoleptus serripes, 222, 243, 310
serripes, Scytoleptus, 222, 243, 310
simsoni, Gebia, 301
simsoni, Upogebia, 223, 301, 310
spinifrons, Gebia, 305
spinifrons, Upogebia, 222, 305, 310
squamifera, Thalassina, 223, 285, 309, 310
Thalassina, 285, 312, 313
Thalassina anomala, 285
Thalassina squamifera, 223, 285, 309, 310
Thalassina maxima, 285, 286
Thalassinidae, 218, 223, 284, 312, 313
tooradin, Callianassa, 220, 268, 275
tractabilis, Upogebia, 223, 307, 310
tricarinatus, Evaxius, 243
Trypaea australiensis, 250
Trypaea porcellana, 250
Upogebia, 222, 286, 312, 313
(Upogebia), Upogebia, 222
Upogebia australiensis, 223, 287, 309, 310
Upogebia bowerbankii, 223, 289, 310
Upogebia carinicauda, 223, 292, 293, 309
Upogebia darwinii, 223, 292, 310
Upogebia dromana, 223, 295, 297, 310
Upogebia giralia, 222, 297, 310
Upogebia hexaceras, 223, 289, 299, 310
Upogebia neglecta, 223, 301
Upogebia octoceras australiensis, 287
Upogebia simsoni, 223, 301, 310
Upogebia spinifrons, 222, 305, 310
Upogebia tractabilis, 223, 307, 310
Upogebiidae, 218, 222, 286, 312, 313
waroona, Axius, 222, 240, 310
werribee, Axiopsis, 221, 224, 232