

FIG. 18 a. — *Cryptodromiopsis unidentata* (Rüppell, 1830) nov. comb., 13.0 x 13.9 mm, New Caledonia, LAGON, stn 553, 35-40 m (MNHN-B 22563) : dorsal view of whole crab, setae removed from right half of carapace and limbs.

FIG. 18 b. — *Cryptodromia* ? *coronata* Stimpson, 1858, ♂ 11.5 x 10.7 mm, New Caledonia, LAGON, stn 405, 27 m (MNHN-B 22565) : dorsal view of whole crab, setae removed from right half of carapace.

FIG. 18 c. — *Cryptodromia amboinensis* De Man, 1888, ♀ (ovig.) 6.2 x 5.3 mm, New Caledonia, LAGON, stn 481, 33 m (MNHN-B 22566) : dorsal view of whole crab, setae removed from right half of carapace.

FIG. 18 d. — *Cryptodromia hilgendorfi* De Man, 1888, ♂ 9.2 x 8.9 mm, New Caledonia, LAGON, stn 48, 28 m (MNHN-B 22567) : dorsal view of whole crab, setae removed from right half of carapace.

FIG. 18 e. — *Cryptodromia fallax* (Lamarck, 1818), ♂ 10.2 x 9.0 mm, New Caledonia, Port Brise, intertidal (MNHN-B 22568) : dorsal view of whole crab, setae removed from right half of carapace, carpus of right cheliped, and last two pairs of legs.

FIG. 18 f. — *Epigodromia rotunda* sp. nov., ♀, holotype, 4.2 x 4.8 mm, New Caledonia, MUSORSTOM 4, stn 207, 220-235 m (MNHN-B 22576) : dorsal view of whole crab.




FIG. 19 a-b. — *Takedromia cristatipes* (Sakai, 1969) nov. comb., dorsal view of whole crab : a, ♀ 13.0 x 11.9 mm, New Caledonia, MUSORSTOM 4, stn CP 193, 430 m (MNHN-B 22570); b, ♂ 14.0 x 12.8 mm, d'Entrecasteaux Reefs, MUSORSTOM 4, stn 181, 355 m (MNHN-B 22571).

FIG. 19 c-d. — *Takedromia longispina* gen. nov., sp. nov., dorsal view of whole crab, setae removed from right half of carapace : c, ♀, paratype, 10.0 x 11.0 mm, Chesterfield Islands, CHALCAL 1, stn DC 31, 230 m (MNHN-B 22573); d, ♂, holotype, 13.2 x 11.2 mm, New Caledonia, MUSORSTOM 4, stn DW 183, 280 m. (MNHN-B 22572)

FIG. 19 e-f. — *Epigodromia areolata* (Ihle, 1913) nov. comb., dorsal view of whole crab : e, ♀ 7.2 x 7.1 mm, New Caledonia, LAGON, stn 387, 225 m (MNHN-B 22574); f, ♂ 14.4 x 12.3 mm, Chesterfield, MUSORSTOM 5, stn 290, 300 m (MNHN-B 22575).

INDEX

Family and genus names are given in capital letters, species names in italics. Bold species names indicate that the species are treated in detail.

Bold numbers indicate the pages where the subject is treated in detail.

Abdomen

- fusion, 122, 135, 136, 140, 142, 145, 148, 153.
locking mechanism, **117**, 120, 126, 132, 135, 136, 139, 140, 142, 145, 148, 149, 152, 156, 158, 159, 162, 164, 167, 168, 170, 172, 175, 176, 177, 179, 182, 183, 187, 189, 191, 193, 197, 200, 202, 211, 216, 225.
tubercles, 201
- Acanthaster planci*, 153.
- Antenna, **117**, 127, 177.
- Anterolateral teeth, **116**, 211, 220, 227
variation 139, 140, 142, 163, 208.
- ASCIDIOPHILUS, 117, 121, 123, 125, 176, **177**.
A. caphyraeformis, 177.
- AUSTRODROMIDIA, 121, 123, 125, **185**, 229.
A. australis, 186.
A. insignis, 186.
A. octodentata, 120, 185, 186.
key, 186.
- BARNARDROMIA, 121, 123, 125, **179**, 187, 198, 229.
B. bituberculatus, 182.
B. hirsutimana, 182.
key, 182.
- Biogeography, 130, 137, 139, 141, 142, 145, 149, 150, 154, 158, 159, 160, 163, 164, 165, 167, 168, 170, 174, 176, 178, 179, 182, 184, 186, 188, 190, 192, 196, 198, 201, 203, 204, 206, 208, 211, 213, 217, 219, 225, 228, 229, 231.
- Camouflage, 121, 127, 139, 141, 142, 149, 153, 158, 160, 167, 170, 174, 177, 185, 190, 192, 194, 198, 201, 203, 204, 206, 208, 213, 216, 219, 220, 224, 227, 228.
- CANCER, 151.
C. dormia, 149, 151.
C. dormitator, 151.
C. erythropus, 149.
C. personata, 149.
- Cheliped
epipod, **117**, 122, 183, 198, 202, 217.
petaloid meri, 164, 165.
teeth, 139.
- CONCHOECETES, 121, 123, **174**, 228, 229.
C. andamanicus, 175.
C. artificiosus, 120, 121, 175.
C. intermedius, 175.
key, 175.
larvae, 121, 229.
- CONCHOEDROMIA, 122.
- CRYPTODROMIA, 115, 121, 122, 123, 125, 159, 162, 163, 164, 167, 180, 185, 187, 190, **197**, 198, 211, 216, 228, 229.
C. amboinensis, 126, 197, 199, **203**, 209.
C. areolata, 216, 217.
C. bullifera, 115, 184, 189.
C. canaliculata, 114, 115, 197, 206, 207.
C. canaliculata var. *obtusifrons*, 208.
C. canaliculata var. *sibogae*, 208.
C. coronata, 126, 197, **199**, 202.
C. cristatipes, 211, 212.
C. demanii, 203.
C. depressa, 162, 165.
C. dubia, 187, 188.
C. fallax, 126, 199, **206**.
C. fukuui, 126, 199, **201**.
C. globosa, 216.
C. granulata, 216.
C. hilgendorfi, 126, 197, 199, **205**, 209.
C. hirsuta, 206, 208.
C. hirsutimana, 180.
C. incisa, 184, 185, 192, 193.
C. japonica, 163, 165.
C. laevis, 198.
C. lamellata, 165, 168.
C. lateralis, 115, 156, 165, 168.
C. longipes, 126, 197, 199, **208**.
C. mariaae, 197, 199, 209.
C. micronyx, 183.
C. monodus, 159.
C. nierstraszi, 198.
C. nipponensis, 197, 199.
C. octodentata, 184.
C. oktahedros, 206, 207, 208.
C. ornata, 211.
C. pentagonalis, 198.
C. pileifera, 121, 198, 201.
C. planaria, 187, 188.
C. protubera, 197, 198.
C. tomentosa, 206.
C. trituberculata, 197, 199.
C. tuberculata, 121, 197, 198, 199, 201, 202.
C. tumida, 115, 197, 199, 202.
C. tumida var. *spinifera*, 162.
C. unilobata, 184, 192, 194.

- C. wilsoni*, 149, 156, 165.
C. yoshidai, 211.
 key, 198.
 larvae, 121, 229.
- CRYPTODROMIOPSIS, 122, 123, 125, 179, 180, 185, 187, 228, 229.
- C. antillensis*, 120, 121, 188, 229.
C. bituberculata, 187.
C. bullifera, 126, 188, 189, 192.
C. dubia, 188.
C. larraburei, 229.
C. lepidota, 183, 184, 187.
C. mortenseni, 184, 187.
C. planaria, 188.
C. plumosa, 126, 188, 190, 192.
C. spongiosa, 183.
C. tridens, 187, 188.
C. unidentata, 126, 188, 192.
 larvae, 121, 229.
- Depth distribution, 130, 134, 139, 141, 142, 149, 154, 156, 158, 159, 167, 170, 174, 190, 192, 194, 201, 203, 204, 206, 208, 213, 219, 220, 227, 230.
- Development, 201.
 abbreviated, 231.
 direct, 137, 170, 185, 229, 231.
- DROMIA, 115, 121, 122, 123, 124, 135, 136, 145, 148, 149, 158, 159, 162, 174, 185, 187, 228, 229.
- D. (Cryptodromia) bullifera*, 187.
D. (Cryptodromia) de manii, 203.
D. (Cryptodromia) gilesii, 216.
D. (Cryptodromia) hilgendorfi, 205.
D. (Cryptodromia) pentagonalis, 197.
D. (Cryptodromia) tomentosa, 206, 208.
D. (Cryptodromia) tuberculata, 115.
D. (Sphaerodromia) kendalli, 127.
D. artificiosus, 175.
D. australiensis, 135.
D. bicavernosa, 159.
D. bollerei, 149, 151.
D. caput-mortuum, 137, 197.
D. dehaani, 136, 145.
D. dormia, 115, 120, 126, 151, 156, 159.
D. erythropus, 121.
D. fallax, 197, 206, 207.
D. foresti, 126, 149, 151, 154.
D. gibbosa, 145.
D. globosa, 135, 194.
D. hirsutissima, 151, 183.
D. indica, 145.
D. intermedia, 136, 145, 146.
D. lateralis, 115, 165, 168, 197.
D. marmorea, 149, 151.
D. monodi, 149.
D. nodipes, 137, 162, 197.
D. nodosa, 149.
D. personata, 121.
D. rotunda, 176.
D. rumphii, 151.
D. sculpta, 216.
D. spinirostris, 149.
D. tomentosa, 206, 208.
D. unidentata, 184, 187, 192.
D. verrucosipes, 115, 168.
D. wilsoni, 120, 121, 126, 151, 156, 164.
 larvae, 121, 158, 164, 229.
- DROMIDES, 122, 197, 228.
D. hilgendorfi, 205.
- DROMIDIA, 115, 121, 122, 123, 125, 176, 178, 179, 182, 183, 185, 187, 228, 229.
- D. aegibotus*, 151, 183, 184.
D. antillensis, 183, 187, 188.
D. australis, 184, 185.
D. bicornis, 178.
D. cornuta, 185.
D. cranioides, 185.
D. dissothrix, 183, 184.
D. excavata, 137, 183.
D. fenestrata, 187.
D. globosa, 137.
D. hirsutissima, 183.
D. insignis, 184.
D. kendalli, 127.
D. larraburei, 184, 187, 188.
D. lepidota, 185.
D. plumosa, 190.
D. spinosa, 178.
D. spongiosa, 121, 176, 183.
D. unidentata, 192.
D. unidentata hawaiiensis, 192, 194.
D. unidentata unidentata, 192, 194.
 key, 184.
- DROMIDIOPSIS, 115, 122, 123, 124, 127, 135, 136, 145, 149, 150, 162, 183, 187, 228, 229.
- D. abrolhensis*, 136.
D. australiensis, 136, 137, 141.
D. cornuta, 183, 184.
D. cranioides, 145.
D. dormia, 136, 151.
D. dubia, 125, 135, 136, 137, 138.
D. edwardsi, 136, 137.
D. excavata, 120, 137.
D. globosa, 120, 121, 137, 183, 185, 194.
D. lethrinusae, 116, 126, 139.
D. michaelsoni, 137, 162.
D. orientalis, 145.
D. plumosa, 184, 187, 190.

- D. tridentata*, 126, 135, 136, 139, **141**.
D. tridentatus, 135, 141.
D. tridentatus bidens, 135.
D. tridentatus unidens, 135.
 key, 137.
 larvae, 229.
- DYNOMENE, 182.
D. platyarthrodes, 182.
- DYNOMENIIDAE, 121.
- Egg
 number, **120**, 134, 139, 141, 142, 148, 153,
 167, 170, 194, 201, 204, 206, 208, 213,
 219, **231**.
 size, **120**, 130, 134, 137, 139, 141, 142, 148,
 153, 159, 160, 167, 170, 176, 178, 185,
 194, 201, 204, 206, 208, 213, 219, 229,
231.
- EODROMIA, 123, 124, **130**, 229.
E. denticulata, 125, 130, **132**.
- EPIDROMIA, 121, 216.
- EPIGODROMIA, 121, 122, 123, 125, 198, **216**, 229.
E. areolata, 126, **217**, 220.
E. ebaliioides, 217, 220.
E. gilesii, 217, 220.
E. globosa, 217, 220.
E. granulata, 216, 217, 220.
E. nodosa, 217, 220.
E. rotunda, 126, 216, 217, **219**.
E. rugosa, 126, 216, 217, 220, **222**.
E. sculpta, 120, 217.
 key, 217.
- EPIPEDODROMIA, 121, 122, 123, 124, **224**.
E. thomsoni, 225.
- EUDROMIA, 121, 179, 228.
E. bituberculata, 179, 180.
E. frontalis, 179.
E. hendersoni, 179.
- EUDROMIDIA, 121, 122, 123, 125, **179**, 182.
E. hendersoni, 179.
 key, 179.
- EUDROMIOPSIS, 179.
- Evolutionary radiation, 150, 228, 229.
- EXODROMIDIA, 121, 122, 123, 125, 176, **178**, 182,
 229.
E. bicornis, 178.
E. spinosa, 178.
E. spinosissima, 178.
 key, 178.
- FRODROMIA, 121, 123, 124, 168, **170**, 229.
F. atypica, 126, **171**.
F. reticulata, 171.
 key, 171.
- FULTODROMIA, 123, 124, 159, **162**, 168, 172, 229.
F. nodipes, 137, 162.
F. spinifera, 162.
- Genera, **121**.
 characters, 122.
 key, 123.
- GENKAIA, 122.
G. gordonae, 122.
- Gills, **117**, 136, 177.
- HALEDROMIA, 121, 123, **158**.
H. bicavernosa, 120, 158.
- HEMISPHAERODROMIA, 122, 123, 124, **159**.
H. abellana, 159.
H. monodus, 159.
- HOMALODROMIA, 115, 121, 123, 125, **225**.
H. coppingeri, 126, 176, 225, **226**.
- HOMOLIDAE, 228.
- HOMOLODROMIIDAE, 121, 228.
- HYPOCONCHA, 121, 123, 228, 229.
H. arcuata, 121, 123, 229.
H. californiensis, 123.
H. lowei, 123.
H. panamensis, 123.
H. parasitica, 121, 123.
H. sabulosa, 121, 123.
H. spinosissima, 123.
 larvae, 121, 229.
- Larval studies, 121, 229.
- LASIODROMIA, 122, 225, 228, 229.
L. coppingeri, 226.
L. coppingeri var. *unidentata*, 226.
L. unidentata, 226.
Lasiodromia sp., 228.
- LAURIDROMIA, 123, 124, 135, **145**, 153, 187, 229.
 key, 146.
L. dehaani, 121.
L. indica, 185.
L. intermedia, 120, 126, **146**, 153.
 larvae, 229.
- Maxillipeds, 126, 130, 135, 145, 149, 158, 159,
 162, 163, 164, 168, 170, 175, 176, 177,
 178, 179, 182, 183, 187, 197, 211, 216,
 225.
- PARADROMIA, 122, 123, 124, **163**, 168, 229.
 larvae, 121, 164, 229.
P. japonica, 121, 163, 199.
P. sheni, 163, 164.
- Parasite
 bopyrid, 167.
 cryptoniscus, 158.
Poecilasma sp., 158.
 sacculinid barnacle, 208, 213.
- PARASPHAERODROMIA, 122, 183.
P. subglobosa, 184.
- PETALOMERA, 115, 121, 122, 123, 124, 134, 149,
 159, 162, 163, **164**, 165, 167, 168, 170,
 216, 228, 229.
 key, 165.

- P. angulata*, 165, 168, 169.
P. atypica, 165, 171.
P. atypica reticulata, 165, 171.
P. depressa, 162.
P. fukuii, 122, 165, 197, 201.
P. granulata, 164, 165.
P. indica, 165.
P. kosugei, 165, 168.
P. laevis, 159, 165.
P. lamellata, 168.
P. lateralis, 121, 134.
P. longipedalis, 165, 168.
P. longipes, 165, 166, 167.
P. nodosa, 122, 165, 216.
P. pulchra, 126, 165, **166**.
P. sheni, 163, 165.
P. wilsoni, 121, 156.
P. yamashitai, 134, 135, 165.
- PLATYDROMIA, 121, 122, 183, 224.
P. depressa, 121, 183.
- Pleopods
 male, 122, 132.
 vestigial, 122, 127, 130, 140, 228.
- Propodal spines, **116**, 122, 128, 130, 135, 145,
 148, 149, 158, 176, 183, 185, 187, 190,
 192, 197, 211, 216, 225, 228.
- PSEUDODROMIA, 117, 121, 122, 123, 125, **175**, 177,
 182, 225, 229.
 key, 177.
P. cacuminis, 176.
P. caphyraeformis, 176.
P. inermis, 176, 183.
P. integrifrons, 177.
P. latens, 176.
P. murrayi, 177.
P. quadricornis, 176.
P. rotunda, 176.
P. spinosissima, 176, 178.
P. trepidus, 176.
- Reproductive strategy, 120, 130, 134, 139, 141, 142,
 149, 154, 167, 170, 185, 194, 201, 204,
 206, 208, 213, 219, 231.
- Sexual dimorphism, 167, 213, 215, 219.
- Sexual maturation, **117**.
 size range, 139, 141, 142, 148, 167, 172, 190,
 194, 201, 203, 204, 206, 208, 213, 219,
 224, 227.
- Species list, 125.
- SPEODROMIA, 121, 122, 123, 125, 182, 229.
S. platyarthrodes, 182.
- SPHAERODROMIA, 115, 122, 123, **126**, **127**, 130,
 132, 134, 158, 192, 228, 229.
 key, 127.
S. brizops, 126, 159.
S. ducoussoi, 126.
S. kendalli, 125, 126, **127**.
S. lethrinusae, 135, 139.
S. nux, 126.
- Sternal grooves, **117**, 122, 130, 131, 135, 136, 140,
 148, 150, 153, 158, 170, 183, 184, 185,
 187, 190, 192, 197, 211, 213, 216, 225.
 tubes, 145, 148.
 variation, 122, 141, 148, 150, 194.
- STERNODROMIA, 122, 149.
S. spinirostris, 150.
- STIMDROMIA, 115, 123, 124, 137, 159, **168**, 172,
 229.
 key, 168.
 larvae, 121, 229.
S. angulata, 126, **169**.
S. kosugei, 168.
S. lamellata, 169.
S. lateralis, 120, 121, 170, 185.
- TAKEDROMIA, 123, 125, 198, **211**, 229.
 key, 211.
T. cristatipes, 126, 211, **212**, 215.
T. longispina, 126, 211, **214**.
T. ornata, 212.
T. yoshidai, 212.
- TUNEDROMIA, 121, 123, **134**, 229.
T. yamashitai, 134.
- Uropods, **117**, 122, 131, 150, 172.
 absence, 121, 134.
 vestigial, 121, 159, 180, 184, 185.